

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	2509	702/57,64,69,81,84,189,190,191,193,for.103,for.104,for.105,for.106,for.155,for.160.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 13:46		
2	BRS	2439	330/267,268,288,290,296.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:23		
3	BRS	1793	327/538,540,547.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:24		
4	BRS	2183	323/312,313,314,315,317.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:24		
5	BRS	3067	702/57,64,69,81,84,189,190,191,193,for.103,for.104,for.105,for.106,for.155,for.160.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/07 13:46		
6	BRS	2583	330/267,268,288,290,296.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:23		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti On
7	BRS	1973	327/538,540,547.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:24		
8	BRS	2354	323/312,313,314,315,317.cc 1s.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:24		
9	BRS	250	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and reference with voltage with drop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:27		
10	BRS	318	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and reference with voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:27		
11	BRS	2	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and reference with voltage with drop\$1 and terminat\$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:28		
12	BRS	2	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and reference with voltage\$1 with drop\$1 and terminat\$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 11:29		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
13	BRS	5	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1 with drop\$1 and terminat\$3 with impedance	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 11:31 IBM_TDB			
14	BRS	62	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and determin\$3 with voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 11:32 IBM_TDB			
15	BRS	62	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and determin\$3 with voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 11:35 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
16	BRS	1	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and determin\$3 with voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1 with impedance	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 11:36 IBM_TDB	2004/10/13 11:36		
17	BRS	0	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and determin\$3 with voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1 and terminat\$3 with impedance	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 11:36 IBM_TDB	2004/10/13 11:36		
18	BRS	5	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1 and terminat\$3 with impedance	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 11:38 IBM_TDB	2004/10/13 11:38		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
19	BRS	8	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) with impedance and voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; IBM_TDB	2004/10/13 11:42		
20	BRS	25	power with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and differen\$2 with impedance and voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; IBM_TDB	2004/10/13 11:58		
21	BRS	7	value with current with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and differen\$2 with impedance and voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; IBM_TDB	2004/10/13 12:01		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
22 BRS	15	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and differen\$2 with impedance and voltage\$1 with drop\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; IBM_TDB	2004/10/13 12:01		
23 BRS	8	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and current\$1 with measur\$5 with precis\$3 with resistor\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; IBM_TDB	2004/10/13 12:09		
24 BRS	5	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and current\$1 with measur\$5 with precis\$3 with resistor\$1 and voltage\$1 with drop\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; IBM_TDB	2004/10/13 12:03		
25 BRS	551	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistor\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; IBM_TDB	2004/10/13 13:40		
26 BRS	139	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistors	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; IBM_TDB	2004/10/13 12:11		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
27	BRS	127	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistors and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 12:12 IBM_TDB	2004/10/13 12:12		
28	BRS	21	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistors with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 12:22 IBM_TDB	2004/10/13 12:22		
29	BRS	118	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistor\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 12:22 IBM_TDB	2004/10/13 12:22		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
30	BRS	40	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistor\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1 and compar\$4 with voltage with drop\$1	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 12:24 IBM_TDB			
31	BRS	10	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistor\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1 and compar\$4 with voltage with drop\$1 and precis\$3	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 13:37 IBM_TDB			
32	BRS	10	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistor\$1 with (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1 and compar\$4 with voltage\$1 with drop\$1 and precis\$3	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 13:28 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
33	BRS	1	"4497056".PN.	USPAT	2004/10/13 13:21		
34	BRS	8	power with suppl\$3 with (integrated adj circuit\$1 or IC\$1) and current with measur\$5 with precis\$3 with (impedance or resistor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:24		
35	BRS	145	accurate with measurement\$1 with suppl\$3 with current\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:38		
36	BRS	0	driver with cuircuit with accurate with measurement\$1 with suppl\$3 with current\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:38		
37	BRS	0	driver with circuit with accurate with measurement\$1 with suppl\$3 with current\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:38		
38	BRS	7738	suppl\$3 with current\$1 and resistors with load\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:40		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
39	BRS	54	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and voltage with drop\$1 with resistor\$1 with load\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:51		
40	BRS	0	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and compr\$4 with voltage with drops with (impedance or resistors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:52		
41	BRS	4	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and compar\$4 with voltage with drops with (impedance or resistors)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:54		
42	BRS	62	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and compar\$4 with voltage\$1 with drop\$1 with (impedance or resistor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:55		
43	BRS	57	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and compar\$4 with voltage\$1 with drop\$1 with (impedance or resistor\$1) and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 13:59		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti On
44	BRS	49	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and compar\$4 with voltage\$1 with drop\$1 with (impedance or resistor\$1) and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1 and resistors	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 14:20 IBM_TDB			
45	BRS	13	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (differen\$2 or compar\$4) with voltage\$1 with drop\$1 with first with second with (impedance or resistor\$1)	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 14:16 IBM_TDB			
46	BRS	11	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (differen\$2 or compar\$4) with voltage\$1 with drop\$1 with first with second with (impedance or resistor\$1) and resistors	USPAT; US-PGPUB; EPO; 2004/10/13 JPO; DERWENT; 14:20 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
47	BRS	9	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (differen\$2 or compar\$4) with voltage\$1 with drop\$1 with first with second with (impedance or resistor\$1) and resistors and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/14 JPO; DERWENT; 12:48 IBM_TDB	2004/10/14 12:48		
48	BRS	0	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (differen\$2 or compar\$4) with voltage\$1 with drop\$1 with impedances and resistors and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/14 JPO; DERWENT; 12:48 IBM_TDB	2004/10/14 12:48		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
49	BRS	0	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (differen\$2 or compar\$4) with voltage\$1 with drop\$1 with impedance\$1 and resistors and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/14 JPO; DERWENT; 12:48 IBM_TDB			
50	BRS	68	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (differen\$2 or compar\$4) with voltage\$1 with drop\$1 with (impedance or resistor\$1) and resistors and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/14 JPO; DERWENT; 12:49 IBM_TDB			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
51 BRS	53	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (differen\$2 or compar\$4) with (voltage\$1 adj drop\$1) with (impedance or resistor\$1) and resistors and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/14 JPO; DERWENT; 12:52 IBM_TDB	2004/10/14 12:52		
52 BRS	12	current\$ with suppl\$3 with (integrated adj curcuit\$1 or IC\$1) and (differen\$2 or compar\$4) with (voltage\$1 adj drop\$1) with (impedances or resistors) and resistors and (threshold\$1 or desired or expected or predetermined or preset\$3 or reference) with voltage\$1	USPAT; US-PGPUB; EPO; 2004/10/14 JPO; DERWENT; 12:52 IBM_TDB	2004/10/14 12:52		